



active
rehab

ottobock.



Ottobock Kidevo Family

Take off for tomorrow.

Kids are one of a kind - so are the products of the Kidevo family. Each wheelchair is individually adapted to the child and can be further adapted in size when needed.

Thanks to the adjustable center of gravity, optimal driving behavior as well as an active and independent movement of the child can be encouraged from early on.

Due to the variety of options and the custom-made seat and back systems, each wheelchair becomes a unique product.




Highlights:

- For an active and independent mobility of the child
- Easy to Manoeuvre
- Custom-made seat and back systems
- Adjustable in three dimensions
- High variety of options
- Clever tilting function if required (.t version)


Active and independent Mobility:

The wheelchairs in the kidevo family promote active and independent mobility of your child. This includes practical transfer handles to help when transferring your child from their wheelchair to a care, bed, or lounge chair and steering aids, that ensure full control when steering with only one hand making driving and manoeuvring easier.



Easy to use brakes:

All Kidevo wheelchairs can be chosen with a different combination of friendly to use brakes, for example a drum brake



Functional Seat tilt

The Kidevo mini.t and prime.t have a functional and space-saving tilt that can be used without changing the centre of gravity of the wheelchair and thereby, maintaining optimal driving behaviour



Robust foot plate:

To help with optimal foot positioning of your child, the Kidevo wheelchairs come with a robust and flat one piece foot plate. There is also a high variety of other positioning options to choose from.



High Variety of rear wheels:

Each model in the Kidevo Family provides three different rear wheel sizes to choose from, which can all be combined with various types of tires and handrims




Custom-made seat and back systems:

The seat and back systems in the entire Kidevo range contains a high variety of different upholstered custom-made units for you to choose from.



Functional Back:

The back of the Kidevo prime and prime.t not only has the option to be removed, but it can also be flexibility customised, adjustable by angle, and further stabilised if necessary.



Adjustable head supports:

There is a wide range of head supports available for the entire Kidevo Family, these can all be adjusted in angle, height and depth.



High variety of options:

Other options such as belts, therapy trays or grip ring knobs are available. In addition individual spoke protectors can be chosen for further personalisation.



Kidevo Mini

The Kidevo mini is the perfect wheelchair for early childhood as it features a seat width and depth from 16cm. Each wheelchair is tailor -made for the child and grows with them in width,depth, and height optimal driving behaviour can be achieved by adjusting the centre of gravity.



Kidevo Mini.t

An active wheelchair for children 12 months and older, offering a smooth transition from a buggy to an active lifestyle. The intuitive foot-operated tilting function ranges from 5° forward to 40° backward, without affecting the center of gravity, ensuring excellent stability. The chair is lightweight due to the absence of a gas pressure spring.



Kidevo prime

A versatile, reliable wheelchair for children aged 2 through adulthood. Its modular design allows for easy transport by dismantling it into the seating unit, chassis, back unit, and wheels. Suitable for both active and passive users, its driving behavior can be adjusted to match the child's activity level.



Kidevo prime.t


A tilting, self-propelling wheelchair with a 10° forward to 50° backward tilt, maintaining stability by keeping the center of gravity unchanged. Its easy foot-operated tilt release and custom-made design allow it to grow with your child.

SPECIFICATIONS



Model/ Features	Mini and Mini.t	Prime and Prime.t
Max User weight	50kg	75kg
Seat Width range	16-32cm	26-50cm
Seat Depth range	16-35cm	20-50cm
Tilt	-5 to + 40° (mini.t only)	-10 to + 50° (prime.t only)
Drive wheel size	20, 22 and 24"	22, 24 and 26"

Frame Colors Glossy (RAL - colors)



Frame Colors Matt (RAL - colors)

